



# Westlab's Best Sellers

Edition 3





# Contents

|                              | Page |
|------------------------------|------|
| Microbiology                 | 3    |
| Pipettes & Pipette Tips      | 4    |
| Sample Containers and Vials  | 5    |
| Plasticware, Reusable        | 6    |
| Cell Culture & Immunology    | 7    |
| Centrifuge Tubes             | 7    |
| Biotechnology Consumables    | 8    |
| Westlab Chemicals            | 9    |
| Filtration                   | 10   |
| Glassware                    | 11   |
| Gloves & Safety              | 12   |
| Apparel                      | 13   |
| Meters & Testing             | 14   |
| Laboratory Carts             | 15   |
| Westlab Silicone Innovations | 16   |
| Microscopy & Slides          | 17   |
| Balances                     | 18   |
| Hotplates & Stirrers         | 19   |
| Ovens & Incubators           | 20   |
| Water Baths                  | 20   |
| Liquid Handling              | 21   |
| Pumps & Centrifuges          | 21   |
| Storage & Seating            | 23   |
| Dangerous Goods Storage      | 24   |
| Fume Hoods                   | 24   |
| Cleaning & Disinfecting      | 25   |
| Air Filtration & Monitoring  | 26   |

# Microbiology



## Westlab Petri Dish, 100 x 15mm 1 Compartment\*

- Sterile
- Polystyrene
- Glass-like clarity
- Stackable


| Code         | Qty         | CA\$   |
|--------------|-------------|--------|
| 663-815-PACK | Pack of 20  | 12.00  |
| 663-815-CASE | Case of 600 | 171.80 |

## Westlab Petri Dish, 60 x 15mm 1 Compartment

| Code         | Qty          | CA\$   |
|--------------|--------------|--------|
| 563-049-CASE | Case of 1400 | 262.10 |

## Westlab Petri Dish, 150 x 15mm 1 Compartment

| Code         | Qty         | CA\$   |
|--------------|-------------|--------|
| 563-050-CASE | Case of 240 | 254.80 |



## Inoculation Loops, Sterile - 2 Sizes

- Dark Blue Polystyrene
- EO Sterile
- No Rough Plastic Edges, Flashing or Burrs
- Smooth Loop Surfaces for Easy Streaking
- Hexagonal Loop Shaft for Improved Grip
- 20 Per Peel Bag, Packs of 1000
- Lot Traceability
- Disposable

| Code     | Pack | CA\$  |
|----------|------|-------|
| 153-531C | 1000 | 84.07 |
| 153-530C | 1000 | 75.53 |



## Westlab Petri Dish, 100 x 15mm 2 Compartments

- Sterile
- Polystyrene
- Glass-like clarity
- Stackable

| Code         | Qty         | CA\$   |
|--------------|-------------|--------|
| 663-816-PACK | Pack of 20  | 15.00  |
| 663-816-CASE | Case of 600 | 148.90 |



## Westlab Petri Dish, 100 x 15mm 3 Compartments

- Sterile
- Polystyrene
- Glass-like clarity
- Stackable

| Code         | Qty         | CA\$   |
|--------------|-------------|--------|
| 663-817-PACK | Pack of 20  | 15.50  |
| 663-817-CASE | Case of 600 | 160.40 |



## Cell Spreader, disposable

- Delta head distributes pressure evenly for smooth spreading
- Handle flexes slightly under pressure and is rippled for easy manipulation
- Sterile

| Code     | Pack | CA\$   |
|----------|------|--------|
| 117-9110 | 500  | 162.60 |



## Disposable Inoculating Needles, 10µl - Blue, Flexible

- 10µl, blue, flexible
- Disposable
- Sterile
- Pack of 30

| Code     | Pack | \$   |
|----------|------|------|
| 117-9102 | 30   | 7.80 |



# Pipettes & Pipette Tips



## Pipette Filter Tips, Racked, Sterile, Low Retention

- Specially developed PE filters
- Fully autoclavable & stackable
- Hinge rack allows single hand operation
- Free from DNase, RNase, Human DNA, Pyrogen & PCR inhibitor Code
- Made in Germany

| Code     | Size   | Pack | \$     |
|----------|--------|------|--------|
| 663-840C | 10ul   | 960  | 108.30 |
| 663-841C | 10ul*  | 960  | 108.30 |
| 663-842C | 200ul  | 960  | 108.30 |
| 663-843C | 1000ul | 768  | 82.40  |

\* Extra long



## Pipette Tips, Bulk, Bagged

- Free from DNase, RNase, Human DNA, Pyrogen & PCR inhibitor
- Low retention tips
- No Silicon additives
- Made in Germany

| Code     | Size   | Pack | \$    |
|----------|--------|------|-------|
| 663-844C | 10ul   | 1000 | 21.00 |
| 663-846C | 200ul  | 1000 | 21.00 |
| 663-847C | 1000ul | 500  | 27.20 |
| 663-848C | 5ml    | 250  | 49.90 |



## Westlab myTip, clear Pipette Tips

- Clear polypropylene
- Bulk Packaged
- Non-Filtered
- Certified RNase-/DNase-free
- Nonpyrogenic
- Graduation marks for exact pipetting

| Code     | Size   | Pack | \$     |
|----------|--------|------|--------|
| 663-871C | 1-10ml | 1000 | 425.70 |
| 663-872C | 1-5ml  | 2000 | 373.40 |



## Serological Pipette, Sterile, Individually Wrapped

- Polystyrene
- Quick & easy identification
- Non-pyrogenic, non-cytotoxic
- DNase free, RNase free, human DNA free

| Code     | Volume | Pack | CA\$   |
|----------|--------|------|--------|
| 664-767C | 1ml    | 800  | 158.60 |
| 664-768C | 2ml    | 600  | 133.30 |
| 664-769C | 5ml    | 400  | 112.90 |
| 664-770C | 10ml   | 400  | 122.50 |
| 664-771C | 25ml   | 200  | 98.40  |
| 664-772C | 50ml   | 160  | 288.30 |



## Serological Pipette, Sterile, Bulk Wrapped

- Polystyrene
- Quick & easy identification
- Non-pyrogenic, non-cytotoxic
- DNase free, RNase free, human DNA free

| Code     | Volume | Pack  | CA\$   |
|----------|--------|-------|--------|
| 664-773C | 1ml    | 1,000 | 242.39 |
| 664-774C | 2ml    | 1,000 | 215.00 |
| 664-775C | 5ml    | 500   | 134.20 |
| 664-776C | 10ml   | 500   | 145.50 |
| 664-777C | 25ml   | 200   | 88.60  |
| 664-778C | 50ml   | 200   | 342.40 |



## Transfer Pipette, Non-sterile Pack of 500

- Non-Toxic, Low-Density Polyethylene
- Uniform Wall Thickness
- Precise Graduations
- FDA & CE Certified
- Non-Sterile
- Total Length: 160mm

| Code     | Volume | Pack | CA\$  |
|----------|--------|------|-------|
| 665-380C | 1ml    | 500  | 25.50 |
| 665-383C | 3ml    | 500  | 26.74 |


# Sample Containers and Vials



**Culture Tube, 17x100mm, Polypropylene, 1000/Case**

- Made of ultra clear virgin polypropylene
- Without caps
- Opaque & break-resistant
- Tubes can withstand centrifugation up to 3000xg and 120°C

| Code    | Size     | Pack | CA\$   |
|---------|----------|------|--------|
| 563-085 | 17x100mm | 1000 | 139.40 |



**Specimen Container, Sterile, 60ml, PP, Pack of 600**

- Sterile, Polypropylene
- Green Screw Cap
- Leak-Proof
- Label Sheet Included
- Transparent Wall

| Code     | Size | Pack | CA\$   |
|----------|------|------|--------|
| 153-549C | 60ml | 600  | 234.60 |



**Specimen Container, Sterile, 120ml, PP, Pack of 300**

- Sterile, Polypropylene
- Green Screw Cap
- Leak-Proof
- Label Sheet Included
- Transparent Wall

| Code     | Size  | Pack | CA\$   |
|----------|-------|------|--------|
| 153-550C | 120ml | 300  | 198.00 |

## Plasticware Reusable



**Wash Bottle, Unitary, 500ml, Pack of 12**

- Translucent and low density polyethylene (LDPE)
- Built-in delivery tube
- Graduated on the outer surface

| Code     | Volume | Pack | CA\$  |
|----------|--------|------|-------|
| 552-4208 | 250ml  | 12   | 72.60 |
| 552-4216 | 500ml  | 12   | 91.00 |



# Cell Culture & Immunology



## Cell Culture Flask, Filter Cap PS, Sterile

- Filter Cap
- Stackable
- Polystyrene
- T25, T75, T175 & T225 available

| Code     | Growth Area       | Volume | Pack | CA\$   |
|----------|-------------------|--------|------|--------|
| 664-764C | 75cm <sup>2</sup> | 25ml   | 100  | 149.10 |
| 664-779C | 25cm <sup>2</sup> | 7ml    | 200  | 153.80 |

Plug cap also available.



## Sterile Polystyrene Cell Culture Plates

- Alphanumeric Labelling
- Homogeneous Cell Culture
- ANSI & USP Guideline Compliant
- Non-Pyrogenic, Non-Cytotoxic
- DNase/RNase Free & Human DNA Free
- Flat Bottom
- Sterile, TC Treated
- HTS Compatible
- Includes Lid

| Code     | Type     | Pack | CA\$   |
|----------|----------|------|--------|
| 665-007C | 6 well   | 50   | 89.20  |
| 665-010C | 12 well  | 50   | 89.20  |
| 665-013C | 24 well  | 50   | 93.20  |
| 665-016C | 48 well  | 50   | 94.60  |
| 665-019C | 96 well  | 50   | 90.70  |
| 665-020C | 384 well | 40   | 469.48 |

# Centrifuge Tubes



## Micro Centrifuge Tubes, PP, 500/pack

- High-quality virgin polypropylene
- RNase, DNase and Pyrogen free
- Include a connected snap cap
- Large molded-in graduations
- Frosted surface for easier writing

| Code     | Volume | Pack | CA\$  |
|----------|--------|------|-------|
| 661-2308 | 1.5ml  | 500  | 23.90 |
| 661-2303 | 2.0ml  | 500  | 28.80 |



## Westlab Centrifuge Tubes, Sterile, w/cap

- ETO Sterilized, Conical Bottom
- Medical Grade PP Tube & HDPE Leak-Proof Cap
- Non-Pyrogenic, Non-Cytotoxic & RNase/DNase Free
- Flat Top for Sample ID Writing Area
- Resistant to Alcohols & Mild Organic Solvents
- Centrifugation up to 11,000 x g

| Code    | Volume | Pack | CA\$   |
|---------|--------|------|--------|
| 563-820 | 15ml   | 1000 | 227.80 |
| 563-819 | 50ml   | 500  | 207.00 |


# Biotechnology Consumables



## Cryovials, PP, External Cap, Sterile

- DNase free, RNase free, human DNA free
- Non-pyrogenic, non-cytotoxic
- Self-standing bottom
- Inner Pack of 50, Outer Pack of 500
- External Cap, Sterile

| Code     | Bottom  | Volume | CA\$   |
|----------|---------|--------|--------|
| 153-571C | Conical | 1.20ml | 191.60 |
| 153-573C | Round   | 1.80ml | 199.96 |



## Cryovials, PP, Internal Cap, Sterile

- DNase free, RNase free, human DNA free
- Non-pyrogenic, non-cytotoxic
- Self-standing bottom
- Inner Pack of 50, Outer Pack of 500
- Internal Cap, Sterile

| Code     | Bottom  | Volume | CA\$   |
|----------|---------|--------|--------|
| 153-572C | Conical | 1.20ml | 191.60 |
| 153-574C | Round   | 1.80ml | 193.50 |



## Cryovial Cap Insert, PP, 5 colours

- DNase free, RNase free, human DNA free
- Non-pyrogenic, non-cytotoxic
- Reclosable Zip-Lock Bag
- Inner Pack of 100, Outer Pack of 500
- Royal Blue, Light Blue, Green, Yellow & Red

| Code    | Dimensions | CA\$  |
|---------|------------|-------|
| 153-570 | 10.40mm    | 46.44 |



## PCR Tubes, PP, 0.2ml

- Polypropylene (PP)
- DNase/RNase Free & Human DNA Free
- Non-Pyrogenic, Non-Cytotoxic
- 0.2ml Volume

| Code     | Type             | Pack | CA\$   |
|----------|------------------|------|--------|
| 168-1012 | Single, Flat Cap | 1000 | 78.76  |
| 168-1014 | Strip, Flat Cap  | 120  | 204.73 |
| 168-1015 | Strip, Dome Cap  | 120  | 204.73 |



## Deep Well Plate, PP, 96well, V Type Bottom, 0.8ml

- Polypropylene (PP)
- Size: 127.6mm W x 85.4mm L x 30mm H
- DNase, RNase & Human DNA Free
- Non-Cytotoxic, Non-Pyrogenic
- Numeric Labelling

| Code     | Bottom | Volume | CA\$   |
|----------|--------|--------|--------|
| 555-9071 | V Type | 0.8ml  | 205.41 |
| 555-9072 | V Type | 0.8ml  | 185.85 |



## Deep Well Plate, PP, 96well, U Type Bottom, 2ml

- Polypropylene (PP)
- Size: 127.6mm W x 85.4mm L x 44mm H
- DNase, RNase & Human DNA Free
- Non-Cytotoxic, Non-Pyrogenic
- Numeric Labelling

| Code     | Bottom | Volume | CA\$   |
|----------|--------|--------|--------|
| 555-9073 | U Type | 2ml    | 224.97 |
| 555-9074 | U Type | 2ml    | 196.47 |



**Strip Tube, PP, 1.5ml, Clear, RCF 30,000xg**

- Autoclavable, Imprinted external graduations with marking area
- DNase, RNase & Human DNA Free
- Non-Cytotoxic, Non-Pyrogenic

| Code     | Type        | Pack | CA\$     |
|----------|-------------|------|----------|
| 168-1016 | Non-sterile | 800  | \$225.35 |
| 168-1017 | Sterile     | 800  | \$248.04 |



**Reservoir, PS, Single Channel, Sterile**

- Modified polystyrene
- Notched volume label
- 38mm L x 125mm W
- 50ml volume
- Channel: 1

| Code     | Wrapped    | Pack | CA\$  |
|----------|------------|------|-------|
| 664-760C | Individual | 50   | 58.80 |
| 664-761C | Bulk       | 100  | 60.10 |

## Westlab Chemicals

| Code     | Chemical   | CA\$   |
|----------|--|--------|
| 225-0002 | Acetic Acid, Glacial, ACS 2.5L, DG APPLICABLE                        | 118.40 |
| 225-0004 | Acetic Anhydride, ACS, 500ml, L/Q DG APPLICABLE                      | 41.30  |
| 225-0384 | Ammonium Hydroxide 14.8M, 2.5L, DG APPLICABLE                        | 123.70 |
| 225-0020 | Ammonium Nitrate, Crystals ACS, 500g, L/Q DG APPLICABLE              | 33.00  |
| 225-0029 | Barium Hydroxide, Octahydrate Crystals, ACS, 500g, L/Q DG APPLICABLE | 49.60  |
| 225-0048 | iso-Butyl Alcohol, ACS, 500ml, L/Q DG APPLICABLE                     | 49.60  |
| 225-0063 | Calcium Nitrate, Crystals ACS, 500g, L/Q DG APPLICABLE               | 24.60  |
| 225-0070 | Citric Acid, Anhydrous, ACS, 500g                                    | 26.50  |
| 225-0132 | Hydrochloric Acid, Concentrate 12M, ACS, 2.5L, DG APPLICABLE         | 108.70 |
| 225-0177 | Methyl Alcohol, ACS, 3.8L DG APPLICABLE                              | 60.90  |
| 225-0195 | Nitric Acid, ACS, 2.5L, 70%, DG APPLICABLE                           | 121.80 |
| 225-0211 | Phosphoric Acid, ACS, 85% 500mL, L/Q DG APPLICABLE                   | 44.50  |

| Code     | Chemical   | CA\$     |
|----------|--|----------|
| 225-0215 | Potassium Chlorate, Crystals, ACS, 500g L/Q,DG APPLICABLE          | 143.70   |
| 225-0224 | Potassium Iodate, Crystalline Powder, R/G ACS, 100g, DG APPLICABLE | 49.80    |
| 225-0239 | Potassium Thiocyanate, Crystals, ACS, 500g                         | 53.80    |
| 225-0299 | Sulfuric Acid, ACS, 2.5L, 18M DG APPLICABLE                        | 104.10   |
| 225-0305 | Toluene, ACS, 1L L/Q DG APPLICABLE                                 | 41.30    |
| 225-0356 | Potassium Biphthalate, ACS, 500G                                   | 67.50    |
| 225-0362 | Acetone, ACS, 3.8L, DG APPLICABLE                                  | 65.90    |
| 225-0445 | Silver Nitrate Crystals, ACS, 500g, DG APPLICABLE                  | 2,383.90 |
| 225-0492 | Thymolphthalein, ACS, 5g   | 28.20    |
| 225-0549 | Sodium Hydroxide Pellets ACS, 1kg, DG APPLICABLE                   | 53.70    |
| 225-0561 | Sodium Sulfate, Anhydrous, Granular, ACS, 2.5KG                    | 92.20    |
| 225-6200 | Isopropyl Alcohol, 99% ACS grade, 20L, DG APPLICABLE               | 498.40   |
| 225-0486 | Ethyl Acetate, ACS, 500ml, DG APPLICABLE                           | 39.40    |

Please reach out for our full range of chemicals.



# Filtration



## Filter Paper, Qualitative Medium Filtration, Low Ash

- Medium filtration
- Qualitative low ash.

| Code     | Size (Dia.) | Pack | CA\$  |
|----------|-------------|------|-------|
| 663-357C | 47mm        | 100  | 7.20  |
| 663-358C | 55mm        | 100  | 7.70  |
| 663-359C | 70mm        | 100  | 7.90  |
| 663-360C | 90mm        | 100  | 13.80 |
| 663-361C | 110mm       | 100  | 14.50 |
| 663-362C | 125mm       | 100  | 15.40 |
| 663-363C | 150mm       | 100  | 18.10 |
| 663-364C | 185mm       | 100  | 26.70 |



## Filter Paper, Qualitative Very Fast Filtration

- Fast filtration
- High wet strength
- 280uM thick; 10-13uM retention
- 0.1% ash content.

| Code     | Size (Dia.) | Pack | CA\$  |
|----------|-------------|------|-------|
| 663-365C | 55mm        | 100  | 6.80  |
| 663-366C | 70mm        | 100  | 7.10  |
| 663-367C | 90mm        | 100  | 10.10 |
| 663-368C | 110mm       | 100  | 11.90 |
| 663-369C | 125mm       | 100  | 13.60 |
| 663-370C | 150mm       | 100  | 17.60 |



## Filter Paper, Qualitative Fast Filtration, Economy Grade

- Medium filtration
- High wet strength
- 180uM thick; 7-10uM
- 0.1% ash content.

| Code     | Size (Dia.) | Pack | CA\$  |
|----------|-------------|------|-------|
| 663-375C | 55mm        | 100  | 6.20  |
| 663-376C | 70mm        | 100  | 6.70  |
| 663-377C | 90mm        | 100  | 6.90  |
| 663-378C | 110mm       | 100  | 9.30  |
| 663-379C | 125mm       | 100  | 9.60  |
| 663-380C | 150mm       | 100  | 12.30 |
| 663-381C | 185mm       | 100  | 22.40 |
| 663-382C | 240mm       | 100  | 41.50 |
| 663-383C | 270mm       | 100  | 59.60 |
| 663-384C | 320mm       | 100  | 94.00 |



## Filter Paper, Glass Microfibre

- Glass microfibre; No binder
- Retention; 1.2uM
- Weight 53g/m<sup>2</sup>
- Thickness 0.26mm

| Code     | Size (Dia.) | Pack | CA\$   |
|----------|-------------|------|--------|
| 663-350C | 47mm        | 100  | 23.10  |
| 663-351C | 55mm        | 100  | 38.10  |
| 663-352C | 70mm        | 100  | 57.10  |
| 663-353C | 90mm        | 100  | 94.60  |
| 663-354C | 110mm       | 100  | 135.30 |
| 663-355C | 125mm       | 100  | 211.20 |
| 663-356C | 150mm       | 100  | 227.10 |



## Filter Paper, Standard

- Medium filtration
- Very low ash content

| Code     | Size (Dia.) | Pack | CA\$  |
|----------|-------------|------|-------|
| 555-5507 | 70mm        | 100  | 8.20  |
| 555-5509 | 90mm        | 100  | 8.50  |
| 555-5511 | 110mm       | 100  | 11.60 |
| 555-5512 | 125mm       | 100  | 14.50 |
| 555-5515 | 150mm       | 100  | 18.90 |
| 555-5518 | 180mm       | 100  | 21.40 |
| 555-0024 | 240mm       | 100  | 43.00 |
| 555-0032 | 320mm       | 100  | 45.90 |

# Glassware



## Beakers, Borosilicate Glass, Low Form

- High quality, borosilicate glass
- Durable matte finish
- Uniform wall thickness
- An easy-to-read white graduated scale

| Code         | Capacity | Pack | CA\$   |
|--------------|----------|------|--------|
| 020212-0010C | 10ml     | 12   | 32.60  |
| 020212-0025C | 25ml     | 12   | 39.00  |
| 020212-0030  | 30ml     | 12   | 43.90  |
| 020212-0050C | 50ml     | 12   | 45.60  |
| 020212-0100C | 100ml    | 12   | 51.20  |
| 020212-0150C | 150ml    | 12   | 53.10  |
| 020212-0250C | 250ml    | 12   | 55.70  |
| 020212-0400C | 400ml    | 6    | 58.20  |
| 020212-0600C | 600ml    | 6    | 58.90  |
| 020212-0800C | 800ml    | 6    | 89.60  |
| 020212-1000C | 1,000ml  | 6    | 101.40 |
| 020212-2000C | 2,000ml  | 1    | 33.90  |
| 020212-3000C | 3,000ml  | 1    | 56.10  |
| 020212-4000  | 4,000ml  | 1    | 101.60 |
| 020212-5000  | 5,000ml  | 1    | 109.20 |



## Erlenmeyer Flask, Narrow Mouth

- Reinforced thick rim to reduce breakage
- Thick walled body
- Durable white ceramic enamel scales
- Designed from ASTM Specification E1404, Type I, Class 1 requirements

| Code         | Capacity | Pack | CA\$   |
|--------------|----------|------|--------|
| 020605-0025C | 25ml     | 12   | 39.00  |
| 020605-0050C | 50ml     | 12   | 52.10  |
| 020605-0100C | 100ml    | 12   | 64.50  |
| 020605-125   | 125ml    | 12   | 83.20  |
| 020605-0250C | 250ml    | 12   | 99.20  |
| 020605-0500C | 500ml    | 6    | 97.60  |
| 020605-1000C | 1,000ml  | 2    | 50.50  |
| 020605-2000C | 2,000ml  | 1    | 53.70  |
| 020605-5000C | 5,000ml  | 1    | 123.60 |

Wide mouth also available - please enquire.



## Boiling Flask, Round Bottom, 24/40

- Boiling flask with a round bottom
- Full length Standard Taper 24/40 joint
- Ref: ASTM Method D322
- Designed from ASTM Specification E1403, Type II, Class III requirements

| Code     | Capacity | CA\$  |
|----------|----------|-------|
| 551-9200 | 100ml    | 29.80 |
| 551-9201 | 250ml    | 31.50 |
| 551-9202 | 500ml    | 39.90 |
| 551-9203 | 1,000ml  | 42.60 |



## Separatory Funnel

- Borosilicate glass
- Includes a PTFE stopcock and a plastic stopper
- Feature a marking spot and large white block letters
- PTFE stopcocks are compliant with ASTM standard E-675

| Code         | Capacity | Pack | CA\$   |
|--------------|----------|------|--------|
| 020619-1000C | 1L       | 1    | 93.90  |
| 020619-2000  | 2L       | 1    | 163.70 |
| 020619-0050  | 50ml     | 2    | 100.80 |
| 020619-0125  | 125ml    | 2    | 109.20 |
| 020619-0250C | 250ml    | 2    | 113.00 |
| 020619-0500C | 500ml    | 2    | 142.00 |



### Glass Media Bottles, with Cap

- Borosilicate glass
- White enamel paint graduations
- Chemical resistant & autoclavable
- 30 mm ID opening
- Polypropylene pour ring included

| Code     | Capacity | CA\$   |
|----------|----------|--------|
| 551-5954 | 100ml    | 19.10  |
| 551-5955 | 250ml    | 21.10  |
| 551-5956 | 500ml    | 25.70  |
| 551-5957 | 1,000ml  | 30.70  |
| 551-5958 | 2,000ml  | 71.70  |
| 551-5959 | 5,000ml  | 193.60 |



### Volumetric Flask, Class A, w/snapcap

- Class A accuracy
- Polyethylene snap cap
- Designed from ASTM Specification E288 Class A, unserialized requirements

| Code     | Capacity | CA\$  |
|----------|----------|-------|
| 551-9501 | 100ml    | 38.70 |
| 551-9502 | 250ml    | 46.20 |
| 551-9503 | 500ml    | 50.90 |
| 551-9504 | 1,000ml  | 66.40 |



### Metalware Set, Premium - Support Stand, Rod, Clamp and Retort Ring

- Stainless steel rod
- Powder coated support stand base
- 4 pronged, cork lined clamp
- Metal retort ring


| Code     | Pack | CA\$  |
|----------|------|-------|
| 555-8050 | Kit  | 57.40 |



### Graduated Cylinder, Hexagonal Base

- Toughened Boro 3.3 glass
- Dishwasher & heat safe graduations
- Blue double metric graduation
- Chemical resistant

| Code         | Capacity | CA\$   |
|--------------|----------|--------|
| 020313-0010C | 10ml     | 18.80  |
| 020313-0025C | 25ml     | 20.00  |
| 020313-0050C | 50ml     | 22.00  |
| 020313-0100C | 100ml    | 22.30  |
| 020313-0250C | 250ml    | 33.50  |
| 020313-0500C | 500ml    | 58.30  |
| 020313-1000C | 1,000ml  | 89.30  |
| 020313-2000C | 2,000ml  | 124.40 |



### Burette, Straight Bore, PTFE w/cap

- Toughened Boro 3.3 glass
- Dishwasher & heat safe graduations
- Printed in blue colour
- Chemical resistant

| Code         | Capacity | CA\$  |
|--------------|----------|-------|
| 020201-0003C | 10ml     | 55.20 |
| 020201-0004C | 25ml     | 58.80 |
| 020201-0005C | 50ml     | 59.20 |
| 020201-0006C | 100ml    | 77.00 |

Modular stopcock available - please enquire.



### Burette, Threaded, Straight Bore w/cap

- Reinforced top
- PTFE stopcock assembly
- KIM-KAP dust cap included
- Short length fits most student laboratory drawers

| Code     | Capacity | CA\$   |
|----------|----------|--------|
| 551-1507 | 50ml     | 249.80 |

# Gloves & Safety



**CORE Nitrile Gloves, Powder Free, Standard Cuff, Case of 10 boxes (2000 pc)**

- Ambidextrous, micro textured surface
- Latex free, powder free, odour free
- Lot traceability, non-sterile

| Code     | Size    | CA\$   |
|----------|---------|--------|
| 663-218C | Small   | 192.40 |
| 663-219C | Medium  | 192.40 |
| 663-220C | Large   | 192.40 |
| 663-221C | X-Large | 192.40 |



**FORCE Nitrile Gloves, Powder Free, Long Cuff, Case of 10 boxes (1000 pc)**

- Ambidextrous, micro textured surface
- Latex free, powder free, odour free
- Lot traceability, non-sterile

| Code     | Size    | CA\$   |
|----------|---------|--------|
| 665-452C | Small   | 171.60 |
| 665-453C | Medium  | 171.60 |
| 665-454C | Large   | 171.60 |
| 665-455C | X-Large | 171.60 |



**Chemical Protection Gloves, Rubber PACK: 12**

- Gauntlet type
- Heavy-weight, flock-lined, embossed grip
- Extra chemical resistant.
- Black.

| Code     | Size   | CA\$  |
|----------|--------|-------|
| 555-9701 | Small  | 54.70 |
| 555-9702 | Medium | 54.70 |
| 555-9703 | Large  | 54.70 |



**Safety Glasses, Pack: EA**

- Polycarbonate unilens
- Clear, crisp and distortion free visibility

| Code     | Pack | CA\$ |
|----------|------|------|
| 554-0901 | 1    | 9.30 |
| 554-6700 | 1    | 8.80 |
| 554-6800 | 1    | 7.40 |



**First Aid Kit, 15 person**

- Wall mounted metal cabinet
- Australian standards AS2675-1983 compliant
- ARTG registered 142658
- Full range available online

| Code     | Pack | CA\$  |
|----------|------|-------|
| 554-1000 | Kit  | 72.30 |



**Spill Kit, Universal Laboratory, Pack: kit**

- For oil and water-based chemical spills
- Compact
- (10) 15 x 19 pads
- (2) 3" x 4' sorbent socks
- (1) pair Nitrile Gloves
- Instructions
- 26.5 x 31" 3 mil Disposal Bag

| Code     | Pack | CA\$   |
|----------|------|--------|
| 554-2500 | Kit  | 177.40 |



### Oxivir Tb Disinfectant Wipes, 160 Wipes (Discontinued)

- Kills SARS-CoV-2 (COVID-19 virus) in 1 minute
- Virucidal, Bactericidal, Fungicidal and Tuberculocidal
- Active ingredient breaks down to oxygen and water

| Code     | Pack      | CA\$  |
|----------|-----------|-------|
| 551-2203 | 160 Wipes | 29.50 |



### Autoclave Bag Disposable, Biohazard Label NAT

- White write-on strip and blue Biohazard labelling
- High-temperature, heavy gauge polypropylene
- Suitable for autoclaving up to a temperature of 121°C (250F)
- All sizes come in a pack of 200

| Code     | Size        | CA\$   |
|----------|-------------|--------|
| 153-546C | 310 x 660mm | 136.50 |
| 153-547C | 400 x 600mm | 148.20 |
| 153-548C | 610 x 810mm | 226.10 |



### Sharps Containers, clear lid

- 1 litre (Red), 3 and 7 litre (Yellow)

| Code     | Size    | CA\$  |
|----------|---------|-------|
| 554-2000 | 1 Litre | 8.50  |
| 554-2001 | 3 Litre | 12.40 |
| 554-2003 | 7 Litre | 20.20 |

## Apparel



### Heavy Duty Cloth Lab Coat, Pack: EA

- White, with button closure
- 65/35 Polyester/Cotton poplin 5.5oz.

| Code     | Size | CA\$  |
|----------|------|-------|
| 555-5536 | 36   | 52.10 |
| 555-5538 | 38   | 52.10 |
| 555-5540 | 40   | 52.10 |
| 555-5542 | 42   | 52.10 |
| 555-5544 | 44   | 52.10 |
| 555-5546 | 46   | 52.10 |
| 555-5548 | 48   | 52.10 |
| 555-5551 | 51   | 52.10 |
| 555-5552 | 52   | 52.10 |
| 555-5554 | 54   | 52.10 |



### Lab Coat, White Polycotton, Pack: EA

- Long sleeve lab coat with 3 pockets (1 breast, 2 side pockets)
- 4 press button studs - quick and easy to put on and take off
- 65% polyester - low maintenance ironing
- 35% cotton - semi fire retardant

| Code     | Size    | CA\$  |
|----------|---------|-------|
| 153-593C | Small   | 30.20 |
| 153-594C | Medium  | 30.20 |
| 153-595C | Large   | 30.20 |
| 153-596C | X-Large | 30.20 |



### Lab Coat - Disposable, 30PK

- Polypropylene offering durability & breathability
- Water resistant, splash protection
- 3 pockets (2 side, 1 breast), knee length
- Lapel collar, serged seams and plastic snap closures
- Sold in packs of 30

| Code     | Size    | CA\$   |
|----------|---------|--------|
| 555-5535 | Small   | 108.40 |
| 555-5537 | Medium  | 108.40 |
| 555-5539 | Large   | 108.40 |
| 555-5541 | X-Large | 108.40 |



# Meters & Testing



### Tracer pH Meter

- Provided with 4, 7, and 10 pH buffer tablets
- pH Tracer Meter
- Range: 0.00 to 14.00 pH/0.01 pH
- Temp: 23° to 194°F (5° to 90°C)
- Resolution: 0.01 pH
- Accuracy: ±0.01 pH

| Code     | Pack | CA\$   |
|----------|------|--------|
| 117-2805 | 1    | 318.60 |



### Tracer EC/TDS/Salt Meter

- Sodium Chloride level range from 0 to 9,999 ppm
- TDS is measured from 0 to 9,999 ppm
- Temperature from 32.0° to 149°F
- Memory stores up to 25 data sets
- Packaged in a rugged carrying case with a special calibration standard

| Code     | Pack | CA\$   |
|----------|------|--------|
| 117-2806 | 1    | 231.20 |



### Dissolved Oxygen Tracer

- Oxygen level displayed as percent Saturation from 0 to 200.0 percent or Concentration from 0 to 20.00 ppm (mg/L)
- Adjustable Altitude Compensation (0-20,000 ft in 1,000 ft increments)
- Memory stores up to 25 data sets
- Self-calibration on power up
- Optional 3 ft (1m) or 16 ft (5m) cable

| Code     | Pack | CA\$     |
|----------|------|----------|
| 117-2807 | 1    | 1,012.50 |

## Create an account with Westlab

### Account Benefits

- + Saved addresses & account details for quick ordering
- + View order history on your account
- + Receive your school/companies special pricing
- + Access to our full range of products including restricted chemicals and back ordered stock
- + Free shipping for orders over \$100
- + Early access to Westlab promotions and offers

### How to Register

**Step 1** – Visit [www.westlab.com/customer/account/login](http://www.westlab.com/customer/account/login) and click on “Create an account”

**Step 2** – Fill out your details and click submit

**Step 3** – Our team will review your request and create an account for you linked with your school/company. You should receive a welcome email within 48 hours or less.



### Indicator Test Strips pH-Fix Non-Bleed 6 x 85mm, pH 0-14

pH-Fix test strips allow fast pH testing directly at the point of interest. The easy dip & read procedure provides a reliable result within 10 seconds.

- No calibration required
- Colour chart included

| Code           | Pack | CA\$   |
|----------------|------|--------|
| 129211-0000    | 100  | 18.60  |
| 129211-0000-10 | 1000 | 166.30 |

NOTE: Full range available online.

# Laboratory Carts

- Manufactured from recycled polypropylene
- High quality lockable castors
- 250kg weight rating



## Cart Laboratory, Small 2 Shelf

- Dimensions: 33 x 19 x 37 in high
- 100mm castors - 2 brakes
- Shelf area 27 x 18 in

| Code     | Pack | CA\$   |
|----------|------|--------|
| 663-560C | 1    | 217.90 |



## Cart Laboratory, Small 3 Shelf

- Dimensions: 33 x 19 x 40 in high
- 4 in castors - 2 brakes
- Shelf area 27 x 18 in
- Load Rating: 550 lb
- Height between shelves is 11 in

| Code     | Pack | CA\$   |
|----------|------|--------|
| 663-561C | 1    | 246.60 |



## Cart Laboratory, Large 2 Shelf

- Dimensions: 43 x 20 x 37 in high
- 4 in castors - 2 brake
- Shelf area 36 x 20 in

| Code     | Pack | CA\$   |
|----------|------|--------|
| 663-562C | 1    | 258.00 |



## Cart Laboratory, Large 3 Shelf

- Dimensions: 43 x 20 x 40 in high
- 4 in castors - 2 brake
- Shelf area: 36 x 20 in
- Height between shelves is 11 in

| Code     | Pack | CA\$   |
|----------|------|--------|
| 663-563C | 1    | 298.20 |



## Cart Bucket, Small

- Waste Bin/Storage Bin - Black
- Dimensions: 350 x 240 x 200mm high.
- Polyethelene, Simply clip onto laboratory trolley ends.

| Code     | Pack | CA\$  |
|----------|------|-------|
| 153-407C | 1    | 28.10 |




## Cart Bucket, Large

- Waste Bin/Storage Bin - Black
- Dimensions: 350 x 240 x 470mm high.
- Polyethelene, Simply clip onto laboratory trolley ends.

| Code     | Pack | CA\$  |
|----------|------|-------|
| 153-406C | 1    | 46.30 |

# Westlab Silicone Innovations



## Silicone UNI-Stop Stopper Range

Pack: 10

Designed by Westlab to replace all your stoppers.

- Blended vulcanized polymer
- Reverse grip-ribs for maximum seal
- Internal barb seal for ease of tubing insert
- Universal hole fits tubing from 6-10mm D
- Autoclavable to 200°C

| Code     | Bottom  | Volume                                     | Type                  | CA\$  |
|----------|---------|--|-----------------------|-------|
| 663-393C | Small   | 12.2mm (base) x 24mm (top) x 35mm (length) | Solid & One Hole      | 50.60 |
| 663-394C | Regular | 13.7mm (base) x 34mm (top) x 35mm (length) | Solid & One Hole      | 59.50 |
| 663-395C | Large   | 28.4mm (base) x 49mm (top) x 35mm (length) | Solid, One & Two Hole | 69.00 |



## Square Silicone Vacuum Tubing

8mm ID - 5M Roll

- Affordable and resilient synthetic silicone
- 8mm ID with 6mm wall thickness
- UV Resistance.
- Square external profile
- Cost effective.

| Code     | Pack | CA\$  |
|----------|------|-------|
| 153-513C | 4    | 64.70 |



## Silicone Lab-Cushion Matting

Pack: 4

- Drainage grooves for use in sink or drainer
- Dishwasher safe
- Mats are interlocking for unlimited expansion
- Can be cut to size if required
- Mat size: 21 x 21 x 1cm (LxWxH) (4 mats per pack)

| Code     | Pack | CA\$  |
|----------|------|-------|
| 663-418C | 4    | 89.40 |



## Silicone Bench Mat with Handle

30 x 30cm

- Special Blend of Silicone
- Size: 30 x 30cm
- Does not Perish
- Should withstand temperatures -50°C ~ 200°C
- Convenient carry handle!  
Also ideal for hanging!

| Code     | Pack | CA\$  |
|----------|------|-------|
| 663-349C | 1    | 22.70 |

# Microscopy & Slides



Westlab  
24  
Months  
Warranty

## Microscope ExtremeX, Monocular, Rechargeable

- Intensity control, ability to dim LED
- Monocular head 45° inclined, 360°
- 4X, 10X, 40X
- Mechanical stage 115 x 120mm
- Free dustcover with every Extreme microscope

| Code     | Colour | CA\$   |
|----------|--------|--------|
| 664-089C | White  | 410.90 |



Westlab  
24  
Months  
Warranty

## Microscope SublimeX, Stereo, Rechargeable

- Intensity control, ability to dim LED
- Binocular head 45° inclined
- WF 10X eyepieces, rotating turret of 2 magnifications: 2X & 4X
- Total magnification of 20X & 40X
- Complete set in polystyrene box with dust cover

| Code     | Colour | CA\$   |
|----------|--------|--------|
| 664-090C | White  | 538.70 |



Westlab  
24  
Months  
Warranty

## Microscope DeluxeX, Binocular, Rechargeable

- Intensity control, ability to dim LED
- Achromatic objectives: 4X, 10X, 40X & 100X [oil]
- Mechanical stage 130 x 120mm
- Free small, 2 shelf lab trolley when ordering 12+ units

| Code     | Colour | CA\$   |
|----------|--------|--------|
| 664-091C | White  | 625.90 |



Westlab  
24  
Months  
Warranty

## Westlab Binocular Research Compound Microscope

- PLAN eyepiece WF-10X & 20mm ultra-wide field
- 40X, 100X, 400X & 1000X
- Large double layer mechanical stage

| Code      | Colour | CA\$     |
|-----------|--------|----------|
| 663-768-C | White  | 2,723.20 |



Westlab  
24  
Months  
Warranty

## Westlab Research, Stereo Zoom

- Zoom 6.7X to 45X
- Extendable to 180X
- 22mm ultra-wide field of view & WF-10X eyepieces

| Code      | Colour | CA\$     |
|-----------|--------|----------|
| 663-769-C | White  | 2,392.40 |



## Microscope Cover Slips 100PK

- Clear & Optically True Glass
- Scratch Free, Striation Free
- Thickness: 0.13mm to 0.17mm
- Packaged In A Plastic Box
- CE Certification
- Pack of 100

| Code     | Dimensions | Carton | CA\$ |
|----------|------------|--------|------|
| 663-250C | 18 x 18mm  | 200pks | 5.50 |
| 663-251C | 22 x 22mm  | 200pks | 7.10 |
| 663-252C | 24 x 36mm  | 200pks | 7.50 |



Westlab  
24  
Months  
Warranty

## Westlab Microscope Slides

- 25 x 75mm
- 1.0-1.2mm Thick
- 50 slides/pack

| Code     | Type          | CA\$  |
|----------|---------------|-------|
| 663-248C | Frosted       | 11.20 |
| 663-247C | Plain         | 11.20 |
| 663-249C | Single Cavity | 21.70 |

# Balances



**Westlab Analytical Balance**  
300g x 0.001g

- LCD Display, Backlit Overload Display Indicator
- High Precision Load Cell
- Integrated Rechargeable Battery
- Selectable Measuring Units
- Piece Counting Function
- Height Adjustable Feet
- Intelligent Calibration
- Full Capacity Taring

| Code     | Pack | CA\$   |
|----------|------|--------|
| 665-080C | 1    | 786.10 |



**Westlab Precision Balance**  
Pan Size: 143mm x 192mm

- Accuracy: 0.1g
- Warranty: 24 Months
- Display: LED
- Power: 120V + Battery
- Repeatability: +/- 0.2g/1g
- Overload protection

| Code     | Load Rating | CA\$   |
|----------|-------------|--------|
| 663-462C | 200g x 0.1g | 306.30 |
| 663-466C | 600g x 0.1g | 335.00 |



**Westlab Precision Balance**  
Pan Size: 133 x 182mm

- Accuracy: 0.01g
- Warranty: 24 Months
- Display: LED
- Power: 120V + Battery

| Code     | Load Rating  | CA\$   |
|----------|--------------|--------|
| 663-507C | 200g x 0.01g | 527.20 |
| 663-508C | 500g x 0.01g | 658.10 |



**Westlab Precision Balance**  
2000g x 0.1g

- Load Rating: 2000g, Accuracy: 0.1g
- Warranty: 24 Months
- Display: LED
- Power: 120V + Battery
- Pan Size: 128mm x 157mm
- Repeatability: +/- 0.02g

| Code     | Pack | CA\$   |
|----------|------|--------|
| 663-512C | 1    | 474.30 |



**Ohaus Pioneer Analytical Balance PX84/E, 82g x 0.0001g**

- Max. Capacity: 82g
- Readability: 0.0001g
- USB and RS232 connectivity
- Pan Size: 90mm

| Code     | Pack | CA\$     |
|----------|------|----------|
| 551-4004 | 1    | 3,270.90 |



**Weighing Trays - 2 Sizes**  
250 Per Inner PE Bag, Packs of 1000

- White Polystyrene, Disposable
- Non-Sterile, Non-Antistatic
- Rounded Corners for Easy Sample Removal
- Recessed Corners for Controlled Pouring
- Suitable for Liquids & Solids
- Lot Traceability

| Code     | Size  | CA\$  |
|----------|-------|-------|
| 153-554C | 7ml   | 27.68 |
| 153-555C | 100ml | 68.68 |



# Hotplates & Stirrers



## Advanced Hot Plate Stirrer

- Max stirring capacity of 10L: 200 - 2200RPM
- Heater temp. setting: ambient to 320°C
- PT-1000 probe
- Ceramic coated plate
- Rapid heat up

| Code     | Pack | CA\$   |
|----------|------|--------|
| 663-575C | 1    | 694.00 |



## Magnetic Stirrer Ultra-Thin

- Motorless
- No moving parts
- Adjustable speed: 15 - 1500RPM, steps of 50 RPM
- Timer range 1 - 99 mins & infinite mode
- Stirring capacity: 800ml max.
- IP 65 compliant design [water spill resistant]

| Code     | Pack | CA\$   |
|----------|------|--------|
| 663-577C | 1    | 237.80 |



## Vortex Mixer - ISG

- Touch and continuous operation
- Variable speed regulation from 0-2500rpm
- Specially designed vacuum suction feet
- CE Certified
- Detailed instruction Manual
- Portable
- Easy to use

| Code     | Pack | CA\$   |
|----------|------|--------|
| 153-010C | 1    | 267.00 |



## Hotplate, 7x7, Ceramic Top, 120V

- Excellent temperature uniformity
- Microprocessor controlled
- Cool touch, chemical resistant housing
- LED display for temperature
- 5 year industry leading warranty
- Temperature Range: Ambient +5°C - 500°C

| Code     | Pack | CA\$     |
|----------|------|----------|
| 555-8884 | 1    | 1,020.70 |



## Stir Bar, Magnetic

- Alnico magnet encapsulated in moulded Teflon coating
- Pivot rings for better performance

\* Please note 222-2214 & 222-2215 don't have pivot rings.

| Code     | Size    | Pack | \$    |
|----------|---------|------|-------|
| 222-2207 | 10x6mm  | 1    | 6.80  |
| 222-2208 | 15x8mm  | 1    | 5.80  |
| 222-2209 | 20x8mm  | 1    | 8.50  |
| 222-2214 | 65x8mm  | 1    | 15.00 |
| 222-2215 | 80x13mm | 1    | 15.00 |
| 222-2210 | 25x8mm  | 1    | 7.40  |
| 222-2211 | 40x8mm  | 1    | 11.60 |
| 222-2212 | 50x8mm  | 1    | 15.00 |

## Ovens & Incubators



### Shellab Digital Lab incubators

- Microprocessor control
- Independent overtemperature thermostat
- Unique warm air jacket design
- Interior outlet
- Heated outer door & viewing door
- Stainless steel interior
- 24 month limited warranty

| Code     | Size     | CA\$      |
|----------|----------|-----------|
| 222-1313 | 2 Cu Ft  | 4,940.00  |
| 222-1316 | 6 Cu Ft  | 5,995.20  |
| 222-1317 | 7 Cu Ft  | 8,031.40  |
| 222-1318 | 11 Cu Ft | 12,573.60 |



### Lab Gravity Convection Ovens

- Light gray exteriors with scratch-resistant hammer finish
- High-impact thermoplastic handles
- Heavy steel double-wall construction
- High-density mineral wool insulation
- Interiors made of corrosion-resistant aluminized steel

| Code     | Size       | CA\$     |
|----------|------------|----------|
| 557-1000 | 0.7 Cu Ft  | 1,330.50 |
| 557-1001 | 1.27 Cu Ft | 1,508.20 |
| 557-1002 | 2 Cu Ft    | 1,806.20 |
| 557-1003 | 3 Cu ft    | 2,204.70 |



### Shellab Vacuum Ovens

- Watlow controller capable of 40 step ramp and soak profiles, or 4 files with 10 steps per file
- Cross ventilation air flow design
- Achieve impressive vacuum levels
- Built-in overtemperature protection
- 24 month limited warranty

| Code        | Size       | CA\$      |
|-------------|------------|-----------|
| 051505-0007 | 0.6 Cu Ft  | 9,232.00  |
| 051505-0006 | 1.67 Cu Ft | 11,844.10 |
| 051505-0008 | 4.5 Cu ft  | 22,910.80 |

## Water Baths



### Digital Water Bath

- Steel exterior w/electrostatic coating
- Stainless steel inner chamber, cover, and concentric ring sets
- High precision digital temperature control
- Over temperature alarm
- PID with high performance CPU chip

| Code     | Size        | CA\$   |
|----------|-------------|--------|
| 555-4010 | 2L - 1 well | 525.60 |
| 555-4011 | 4L - 2 well | 625.70 |
| 555-4012 | 8L - 4 well | 866.30 |



### Premium Water Baths

- Pre-sets for frequently used temperatures
- Integrated timer
- Hinged gable cover
- Calibration capability
- Reservoir made of 304 Stainless Steel
- Reservoir drain (for the 20L)
- Primary and automatic safety thermostats
- Also compatible with waterless bath beads
- 3.25" LCD Display
- Ambient +5° to 100° working temperature range
- ±0.1 ° Temperature stability

| Code     | Size | CA\$     |
|----------|------|----------|
| 555-4022 | 2L   | 1,320.80 |
| 555-4021 | 5L   | 1,638.00 |
| 555-4023 | 10L  | 1,908.30 |
| 555-4020 | 20L  | 2,281.60 |
| 555-4024 | 28L  | 2,475.50 |

# Liquid Handling



## Bottle Top Dispensers

Recirculation Valve & Springless Valve Technology.

- Fully autoclavable
- Borosilicate glass barrel
- PTFE piston
- Calibration certificate

| Code     | Size       | CA\$   |
|----------|------------|--------|
| 663-570C | 0.5 – 5ml  | 529.30 |
| 663-571C | 1 – 10ml   | 529.30 |
| 663-572C | 2.5 – 30ml | 635.40 |
| 663-573C | 5 – 60ml   | 635.40 |



## Single Channel Pipettes

- Detachable volume controller
- Metal tip base for durability & long-lasting precision
- Volume mechanism interchangeable

| Code     | Size         | CA\$   |
|----------|--------------|--------|
| 663-770C | 0.5 – 10µl   | 378.50 |
| 663-771C | 2 – 20µl     | 378.50 |
| 663-772C | 20 – 200µl   | 378.50 |
| 663-773C | 100 – 1000µl | 378.50 |
| 663-774C | 1 – 5ml      | 378.50 |
| 663-775C | 5 – 10ml     | 378.50 |



## Levo Pipette Controller

- Precise pipetting control
- Suits 0.1-100ml volumetric or serological pipettes
- Integral & replaceable 3µm filter
- Easy to maintain and clean
- Autoclavable silicone pipette holder

| Code     | Pack | CA\$  |
|----------|------|-------|
| 663-392C | 1    | 33.50 |

# Pumps & Centrifuges



## Two Stage Laboratory Vacuum Pump

- Free air displacement of 2.5CFM at 50Hz and 3.0CFM at 60Hz
- Voltage: 115V/60Hz
- Ultimate Vacuum: 3 x 10<sup>-1</sup>Pa
- Motor: 1/3HP
- Intake Ports: 0.25 inch
- Oil Capacity: 250mL.

| Code     | Pack | CA\$   |
|----------|------|--------|
| 552-3005 | 1    | 667.50 |



## Centrifuge Micro - ISG

- Ideal for microfiltration and quick spin-downs
- Quiet running, noise level =45 dB
- Accelerates and brakes in seconds
- Easy-to-use with dual start/stop function
- Supplied with 2 interchangeable rotors suited for 2ml and PCR tubes

| Code     | Pack | CA\$   |
|----------|------|--------|
| 153-001C | 1    | 388.30 |



## ISG Low Speed Centrifuge with 8 x 15ml Rotor

- Speed range of 300-4500rpm. Max rotor capability 15mlx8
- Maximum RCF: 2490xg, increment: 100xg
- Precise control speed and time with efficient separation
- For 15ml cell culture tubes and full line of collection tubes
- Quiet and stable operation, noise level less than or equal to 56dB

| Code     | Pack | CA\$   |
|----------|------|--------|
| 153-003C | 1    | 899.80 |



# Gratnells Bin Storage System

Gratnells is a fantastic storage system that can organize prep rooms, classrooms, and other science spaces. The iconic trays are ideal for group work and encourages tidiness.

## FEATURES

- Compact trolleys & frames
- Multiple tray sizes & colours to choose from
- Chemical resistant & semi-fire retardant polypropylene trays
- Anti-static additive to reduce dust

Here are a few spaces the Westlab team has transformed with the Gratnells Bin Storage System!

### Thomas Carr College



Deer Lake School



Clayfield College



Monash University





# Storage & Seating



**Gratnells Trays, SHALLOW, 7.5L,  
75mm H x 312mm W x 427mm L**

- Polypropylene, heavy-duty tubs
- Fully recyclable

| Code     | Colour      | CA\$  |
|----------|-------------|-------|
| 1310-20C | Translucent | 13.60 |
| 1310DBC  | Blue        | 13.60 |
| 1310RC   | Red         | 13.60 |
| 1310YC   | Yellow      | 13.60 |



**Gratnells Trays, Deep, 15L,  
150mm H x 312mm W x 427mm L**

- Polypropylene, heavy-duty tubs
- Fully recyclable

| Code     | Colour      | CA\$  |
|----------|-------------|-------|
| 1320-20C | Translucent | 21.50 |
| 1320DBR  | Blue        | 21.50 |
| 1320RC   | Red         | 21.50 |
| 1320YC   | Yellow      | 21.50 |



**Ergo Lab Task Chair,  
18 -25 Inch Adjustable**

- Gas lift adjustable height - 17" - 20"
- Available with casters or bell glides
- Limited Lifetime Warranty
- Weight Capacity - 300 lbs

| Code     | Pack | CA\$   |
|----------|------|--------|
| 650-0500 | 1    | 306.20 |



**Gratnells Double Column  
Trolley w/castors, 850mm, Set**

- Double column heavy duty frame
- Metal top clips into unit
- Heavy-duty castors 75mm (2.95 inches) supplied
- Made in the UK

| Code      | Pack | CA\$   |
|-----------|------|--------|
| 1020SET1C | 1    | 943.80 |



**Gratnells Triple Column  
Trolley w/castors, 850mm, Set**

- Triple column heavy duty frame
- Metal top clips into unit
- Heavy-duty castors 75mm (2.95 inches) supplied
- Made in the UK

| Code      | Pack | CA\$     |
|-----------|------|----------|
| 1030SET1C | 1    | 1,210.00 |



**Saddle Lab Stool 20-30 Inch  
Adjustable**

- Gas lift adjustable height
- Stores usefully under a desk or table
- Limited Lifetime Warranty

| Code     | Pack | CA\$   |
|----------|------|--------|
| 650-0200 | 1    | 343.40 |



**Gratnells Tall Triple Column Unit  
1850mm, Set**

- Triple column heavy duty frame
- Metal Top clips into unit
- Made in the UK

| Code      | Pack | CA\$     |
|-----------|------|----------|
| 1230SET2C | 1    | 1,536.70 |





# Dangerous Goods Storage



## Steel Flammable Safety Cabinet, 12 Gallon

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

| Code     | External Dimensions                    | Volume    | CA\$     |
|----------|--|-----------|----------|
| 555-5060 | Width 23 x Depth 18 x Height 35 Inches | 12 Gallon | 1,226.90 |
| 555-5059 | Width 23 x Depth 18 x Height 44 Inches | 16 Gallon | 1,754.20 |
| 555-5062 | Width 35 x Depth 22 x Height 35 inches | 22 Gallon | 1,848.30 |
| 555-5061 | Width 43 x Depth 18 x Height 44 inches | 30 Gallon | 2,066.20 |
| 555-5063 | Width 43 x Depth 18 x Height 65 Inches | 45 Gallon | 2,671.60 |
| 555-5064 | Width 34 x Depth 34 x Height 65 Inches | 60 Gallon | 3,013.40 |

# Fume Hoods



## Steel Acid, Corrosive Liquids Storage Cabinet

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

| Code     | External Dimensions                    | Volume    | CA\$     |
|----------|--|-----------|----------|
| 555-5050 | Width 35 x Depth 22 x Height 35 inches | 22 Gallon | 1,840.30 |
| 555-5051 | Width 43 x Depth 18 x Height 44 inches | 30 Gallon | 2,337.60 |
| 555-5052 | Width 43 x Depth 18 x Height 65 Inches | 45 Gallon | 2,932.50 |



## Premium Ductless Fume Hoods

- Westlab Multiplex™ Filtration Technology
- 11 lbs fume hood filters
- Optional pre-filter available

| Code     | Size    | CA\$     |
|----------|---------|----------|
| 168-5000 | 24 Inch | 5,567.20 |
| 168-1000 | 36 Inch | 6,048.50 |
| 168-3000 | 48 Inch | 7,684.80 |

# Cleaning & Disinfecting



## Antibacterial Hand Sanitizer Gel

- 75% Ethanol Hand Sanitizer Gel
- Made in Canada
- Kills Harmful Bacteria & Germs
- Health Canada & FDA approved

| Code     | Size             | CA\$   |
|----------|------------------|--------|
| 551-2209 | 500ml Case of 12 | 85.10  |
| 551-2215 | 3.8L Case of 4   | 229.00 |



## Sanitary Alcohol Wipes, Case of 2000

- Suitable for disinfecting the surface of objects in your home or in the office
- Easy to use with easy to open seal
- Case = 40 Packs (50 wipes per pack)


| Code     | Pack               | CA\$   |
|----------|--------------------|--------|
| 551-2211 | 40 (50 wipes/pack) | 299.70 |



## Multi Surface Cleaner, 236ml

- Product Specs to come

| Code     | Size  | CA\$ |
|----------|-------|------|
| 114-7091 | 236ml | 8.50 |



## Lab Safety Bench Mat, 25 x 25cm

- Westlab Blue
- Silicone
- Size: 25x25cm
- Does not perish
- Temp resistant up to 220°C

| Code         | Dimensions | CA\$  |
|--------------|------------|-------|
| 070213-1000C | 25 x 25cm  | 15.70 |



## Liquinox, 946ml

Concentrated, anionic liquid detergent for manual and ultrasonic cleaning. Free rinsing to yield reliable results with no interfering residues. Extremely mild and completely soluble in hard and soft water.

| Code     | Pack | CA\$  |
|----------|------|-------|
| 554-7700 | 1    | 44.90 |



## Kimtech Precision Wipes

- 551-2202 (280/box), 551-2201 (140/box)

| Code     | Dimensions    | CA\$  |
|----------|---------------|-------|
| 551-2202 | 11.5 x 21.5cm | 5.60  |
| 551-2201 | 38 x 43cm     | 17.90 |



# Air Filtration & Monitoring



### Aeris 3-in-1 Pro Purifier, HEPA

- Top-rated filtration efficiency and fidelity
- Zero system leakage
- Anti-microbial coating inside and out
- Smart air quality monitor and AI
- WiFi connectivity, app and fleet control
- Intelligent Swiss industrial design
- Powerful yet silent fan motor

| Code         | Pack | CA\$     |
|--------------|------|----------|
| 179001-1000C | 1    | 1,700.30 |



### Aeris Aair Lite Purifier, HEPA

- Top-rated filtration efficiency and fidelity
- Zero system leakage
- Anti-microbial coating inside and out
- Smart air quality monitor and AI
- WiFi connectivity, app and fleet control
- Intelligent Swiss industrial design
- Powerful yet silent fan motor

| Code         | Pack | CA\$   |
|--------------|------|--------|
| 179001-2000C | 1    | 853.30 |



### Aeris Aair Lite Purifier HEPA Filter

- Certified medical grade filter
- Suits 179001-2000 air purifier



### Aeris 3-in-1 Pro Air HEPA Filter

- Certified medical grade filter
- Suits 179001-1000 air purifier



Unlock your next discovery  
with Westlab's range of  
laboratory products.



# Let's talk

## Canada

### Phone

1 877 822 1455

### Email

[sales@westlab.com](mailto:sales@westlab.com)

### Address

#101, 19050 - 25 Ave,  
Surrey, British Columbia,  
Canada V3Z 3V2

### Website

[www.westlab.com](http://www.westlab.com)

## Online

### Furnishing & Projects

[spaces.westlab.com](http://spaces.westlab.com)

### Equipment & Consumables

[westlab.com](http://westlab.com)

